CLARIANT

Product Fact Sheet GENAPOL® X 080

Nonionic emulsifier for the chemical industry

| COMPOSITION | | | |
|---|--|--|--|
| Isotridecyl polyethylene glycol ether with 8 moles ethylene oxide | | | |
| PRODUCT PROPERTIES*) | | | |
| Active substance content | about 100 % | | |
| Appearance at 25°C | Colourless, slightly cloudy liquid | | |
| pH value (DIN EN 1262), 5 % in ethanol/water 1:1 | 6 - 8 | | |
| Density (DIN 51757) at 50 °C | Approx. 0,98 g/cm ³ | | |
| Viscosity (DIN 53015) at 50 °C | About 23 mPas | | |
| Crystallization point | About 20 °C | | |
| Solubility at 20 °C | 1% in water: 10% in mineral oil: 10% in xylene: | clear to cloudy solution slightly cloudy solution clear solution | |
| HLB value | About 13 | | |
| Flash point (DIN/ISO 2592) | About 190 °C | About 190 °C | |
| Compatibility | Genapol X 080 is compatible with anionic, cationic and other nonionic surfactants and resistant against strong | | |

^{*)} These characteristics are for guidance only and are not to be taken as product specifications. The tolerances are given in the product specification sheet. For further information on product properties, toxicological, ecological and safety data, please refer to the safety data sheet.

alkaline and acid solutions.

USE

Genapol X 080 is used as a wetting agent, emulsifier and dispersing agent e.g. in detergents, industrial & institutional cleaners, in emulsion polymerization or in wax and silicon emulsions.

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. * Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

For sales to customers located within the United States and Canada the following applies in addition:

NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE.

® Trademark of Clariant registered in many countries© 2012 Clariant International Ltd





CLARIANT INTERNATIONAL LTD

Rothausstrasse 61 4132 Muttenz Switzerland

BUSINESS UNIT INDUSTRIAL & CONSUMER SPECIALTIES

www.ics.clariant.com www.clariant.com