

368-2, SANMAKDONG, YANGSAN, KYOUNGNAM, 626-120, KOREA. TEL : 82 55 387 6468

TEL : 82 55 387 6468 FAX : 82 55 387 6470

E-MAIL : th.choi@uvpia.com
URL : http://www.uvpia.com

### Aliphatic Urethane Acrylate

SU 584

### **Descriptions**

SU 584 is a di-functional aliphatic urethane acrylate oligomer with 1,6-hexanediol diacrylate. This product is characterized good flexibility, good toughness, excellent durability and non-yellowing properties.

#### **Features**

- Good flexibility.
- Good toughness.
- Excellent durability.
- Light color.
- Non-yellowing.

## Specifications

- Viscosity (mPa.s, 60℃)	$1,500 \sim 2,50$
<ul><li>Color ( Gardner )</li></ul>	2 Max
– Density ( g/াা )	1.12
<ul> <li>Molecular weight</li> </ul>	1,200
<ul><li>Functionality</li></ul>	2
<ul><li>Polymer solid % by weight</li></ul>	88
- HDDA % by weight	12

#### **Applications**

- Method : spray, screen,

roll and curtain coating.

- Substrate: wood, plastics, cork and metal.
- Clear coats for cork.
- Pigment coats for wood.
- Metal and plastic coatings.

# Handling

#### Storage:

Avoid continuous staying over than 40°C Handle with care and avoid unnecessary personal contact.

Avoid contact with eyes and prolonged or repeated skin contact.

Avoid continuous or repetitive breathing of dust.