
# Rewopol SB DO 75 PG

anionic surfactant

### **Effects**



0 = unsuitable...5 = highly suitable

### **Special features**

- for waterborne formulations
- highly effective
- improves wetting of various substrates and pigments
- excellent reduction of static and dynamic surface tension

#### Suitability for

waterborne	solventborne	
•	0	
clear coat	pigmented	
•	•	

= suitable ... ○ = not suitable

# Addition to

grinding stage	let-down stage	
•	•	

● = suitable ... ○ = not suitable

### Lacquer coat

primer/basecoat	topcoat	
•	•	

● = suitable ... ○ = not suitable

## Solubility in

water	ethanol	
0	0	
TPGDA	butyl acetate	
•	•	
white spirit		

= clear soluble,  $\bigcirc$  = cloudy but stable,  $\bigcirc$  = insoluble

### Recommended addition level

- flexo and gravure inks
- waterborne printing inks and overprint varnishes As supplied calculated on total formulation: 0.2 2.0 %

### **Processing instructions**

Addition as supplied is recommended

#### Formulation advices

Alternative for better wetting properties: TEGO® Wet 510. For stronger defoaming: TEGO® Wet 505

#### **Chemical description**

solution of a sodium diisooctyl sulfosuccinate

#### **Technical information**

delivery form clear liquid appearance active matter content арргох. 75 %

water / propylene glycol 1 : 1

#### Suitability for food contact

- The additives/monomers/solvents of Rewopol SB DO 75 PG are listed on the A lists of the Swiss Ordinance 817.023.21, Annex 6.
- The components of Rewopol SB DO 75 PG are listed in the BfR Recommendation XIV. The components of Rewopol SB DO 75 PG are listed in the Regulation (EU) 10/2011.

REWOPOL\* SB DO 75 PG respectively its ingredients are listed in the following chemical inventories: AICS, DSL, ECL, EINECS, ENCS, IECSC, PICCS, TSCA, NZIOC, TCSI.

All intentional ingredients are listed on the DSL (Domestic Substance List) inventory or have been notified pursuant to the NSN (New Substances Notification) regulations.

All intentional ingredients are listed on the TSCA inventory or comply with the TSCA Polymer Exemption criteria according 40 CFR 723.

Further information on regulatory topics can be found on the Regulatory Data Sheet.

All intentional ingredients are listed on the ECL inventory or comply with the Polymer

All intentional ingredients are listed on the PICCS inventory or comply with the Polymer Exemption criteria.

# **Packaging**

- plastic drum 50 kgsteel drum with bung 200 kg

When stored in an original unopened packaging between +4 and +40  $^{\circ}$ C, the product has a shelf life of at least 24 months from the date of manufacture.

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used. (Status: 11/2015)