

AQUACER 533			
Version 2	Revision Date	05/01/2015	Print Date 05/19/2015
SECTION 1. IDENTIFICATION			
Product name :	AQUACER 533	3	
Manufacturer or supplier's det	ails		
Company : Telephone : Visit our web site : E-mail address : Emergency telephone : number	BYK USA Inc. 524 South Che Wallingford CT (203) 265-2086 www.byk.com ehs.byk.usa@a 203-265-2086; 3887	06492 S altana.com	24-9300 / +1 703-527-
Recommended use of the che	mical and restric	ctions on use	
Recommended use :	Wax Additive		
Restrictions on use :	Refer to Sectio	n 15 for any restrictio	ns that may apply
SECTION 2. HAZARDS IDENTIFICA	TION		
GHS Classification Not a hazardous substance or m GHS Label element Not a hazardous substance or m Other hazards None known.			
SECTION 3. COMPOSITION/INFOR	MATION ON ING	REDIENTS	
Substance / Mixture	Mixture		
Chemical nature	Anionic emulsi	on based on a modifie	ed paraffin wax
Hazardous components			
Component		CAS-No.	Concentration (%)
Wax		-	>= 17 - < 18
The specific chemical identity/we	eight percent of p	roprietary ingredient(s	s) is a trade secret
SECTION 4. FIRST AID MEASURES	5		
If inhaled	Remove to free	sh air. Administer artif	icial respiration if



rsion 2		Revision Date 05/01/2015	Print Date 05/19/20
		necessary. Get medical aid as soo	on as possible.
In case of skin contact	:	Remove contaminated clothing. Wa and water.	ash thoroughly with soap
In case of eye contact	:	Immediately flush eyes for at least attention.	15 minutes. Get medical
If swallowed	:	Do not induce vomiting; aspiration hazard. Dilute with 1-2 glasses of water. Get medical aid. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs. Never give anything by mouth to an unconscious person.	
Most important symptoms and effects, both acute and delayed	:	No information available.	
CTION 5. FIREFIGHTING MEA	SUI	RES	
Suitable extinguishing media	:	Foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	:	No information available.	
Specific hazards during firefighting	:	Cool closed containers exposed to Will not explode on mechanical imp Water solution - will not support con	pact.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides	
Further information	:	Keep away from heat and sources of ignition. Keep away from oxidizing agents.	
		Reep away from oxidizing agents.	-
Special protective equipment for firefighters	:	In the event of fire, wear self-contain	ined breathing apparatus.
		In the event of fire, wear self-contain	ined breathing apparatus.
for firefighters	ASE	In the event of fire, wear self-contain	s, chemically resistant



Version 2		Revision Date	e 05/01/2015	Prir	nt Date 05/19/2015
Methods and materials for containment and cleaning u		<ul> <li>Stop leak. Dike and contain spill.</li> <li>Absorb with suitable material and remove with sparkless shovel and/or scoop.</li> </ul>			
SECTION 7. HANDLING AND	STOR	AGE			
Advice on safe handling	:	Avoid breathin Keep containe	with skin and ey g dust/ fume/ ga r closed when r industrial chemi	as/ mist/ vapours/ ot in use.	spray.
Conditions for safe storage	:	<ul> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Keep product and empty container away from heat and sources of ignition.</li> <li>Take measures to prevent the build up of electrostatic charge.</li> </ul>			
Materials to avoid	:	Keep away fro	m oxidizing age	nts.	
SECTION 8. EXPOSURE CON					
Components		CAS-No.	Value type	Control	Basis

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Wax	-	TWA (Fumes)	2 mg/m3	ACGIH
		TWA (Fumes)	2 mg/m3	NIOSH REL
		TWA (Fumes)	2 mg/m3	OSHA P0
Engineering measures	: Use with loo	cal exhaust ventil	ation.	
Personal protective equip Respiratory protection	: If handling I		product in a poorl espirator (NIOSH	
Hand protection Material	: Nitrile rubbe	٥r		
		,		
Eye protection		ses with side-shie g safety goggles	elds	

## O BYK Additives & Instruments

QUACER 533		
/ersion 2	Revision Date 05/01/2015	Print Date 05/19/20
	the specific work-place.	
Hygiene measures	<ul> <li>Handle in accordance with good industrial hygiene and safet practice.</li> <li>Clean long legged, long sleeved work clothes.</li> <li>If splashing is possible, wear chemically resistant protective clothing.</li> </ul>	
ECTION 9. PHYSICAL AND CHE	MICAL PROPERTIES	
Appearance	: liquid	
Colour	: light yellow	
Odour	: characteristic	
Odour Threshold	: No data available	
рН	: 9.5	
Melting point/range	: 36 °F (2 °C) (1,013 hPa)	
Boiling point/boiling range	: 212 °F (100 °C) (1,013 hPa)	
Flash point	: Not applicable	
Evaporation rate	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Relative Density/Specific Gravity	: No data available	
Density	: 0.98 g/cm3 (68 °F (20 °C))	
Solubility(ies) Water solubility	: completely miscible	
Solubility in other solvents	: No data available	
	4 / 10	

# O BYK Additives & Instruments

	Devision Date 05/01/0015	
ersion 2	Revision Date 05/01/2015	Print Date 05/19/2
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity Viscosity, dynamic	: 15 mPa.s Method: No information available	9.
CTION 10. STABILITY AND R		
Reactivity	: Not classified as a reactivity haza	ard.
Chemical stability	: Stable; polymerization will not oc	ccur
Possibility of hazardous reactions	: No data available	
Conditions to avoid	: No data available	
Incompatible materials	: Strong oxidizing agents	
Hazardous decomposition products	: No data available	
CTION 11. TOXICOLOGICAL Information on likely routes Inhalation Eyes Skin contact Skin absorption Acute toxicity		
•		
Product:		
Acute oral toxicity	: Remarks: No data available	
Acute oral toxicity <u>Components:</u> - Wax: Acute oral toxicity	: Remarks: No data available : LD50 (Rat): > 2,000 mg/kg	
<u>Components:</u> - Wax:		
<u>Components:</u> - Wax: Acute oral toxicity		
Components: - Wax: Acute oral toxicity Skin corrosion/irritation		



Version 2	Revision Date 05/0	01/2015	Print Date 05/19/2015	
Remarks: No data available				
<b>Serious eye damage/eye irri <u>Product:</u> Remarks: No data available</b>	tation			
<b>Respiratory or skin sensitis</b> <u>Product:</u> Remarks: No data available	ation			
Carcinogenicity				
IARC		product present at leve fied as probable, possil IARC.		
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.			
OSHA		product present at leve fied as a carcinogen or		
NTP		product present at leve fied as a known or antio		
Repeated dose toxicity <u>Product:</u> Remarks: No known chronic h Experience with human exp				
Product:	osure			
Inhalation: Syr	mptoms:	the product being hea	of vapors, resulting from ated, misted or sprayed the respiratory tract.	
Skin contact: Syr	mptoms:	Contact may cause ir	ritation.	
Eye contact:				
	6 / 10			

# O BYK Additives & Instruments

Version 2	Revision	Date 05/01/2015	Print Date 05/19/2015
	Symptoms:	Contact may	cause irritation.
Ingestion:	Symptoms:	Ingestion ma	y irritate the digestive tract.
Further information			
<u>Product:</u> Remarks: No data availal	ble		
SECTION 12. ECOLOGICAL	INFORMATION		
Ecotoxicity			
Product:			
Toxicity to fish	: Remarks:	No data available	
Persistence and degrad	ability		
<u>Product:</u> Biodegradability	: Remarks:	No data available	
Bioaccumulative potent	ial		
Product:			
Bioaccumulation	: Remarks:	No data available	
<b>Mobility in soil</b> No data available			
Other adverse effects			
Product: Results of PBT and vPvB assessment	to be eithe	r persistent, bioaccumu stent and very bioaccum	o components considered lative and toxic (PBT), or lulative (vPvB) at levels of
Regulation		40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances	
Remarks	Class I or (		was manufactured with a l by the U.S. Clean Air Act , App.A + B).
Additional ecological	: There is no	o data available for this	product.
		7 / 10	



AQUACER 533		
Version 2	Revision Date 05/01/2015	Print Date 05/19/2015
information		
SECTION 13. DISPOSAL CO	NSIDERATIONS	
Disposal methods		
EPA Hazardous Waste Code(s)	: Not applicable.	
Waste from residues	: Dispose of in accordance with applied state/provincial and federal regulation	
SECTION 14. TRANSPORT I	NFORMATION	
International Regulation	1	
IATA-DGR Not regulated as a dange	erous good	
IMDG-Code Not regulated as a dange	prous good	
-	ding to Annex II of MARPOL 73/78 and the	IBC Code
Not applicable for produc	t as supplied.	
National Regulations		
<b>49 CFR</b> Not regulated as a dange Container sizes: 55 gallo	erous good n drums, 5 or 6-gallon pails, 2oz/16oz sample	25
SECTION 15. REGULATORY		
EPCRA - Emergency Pl	anning and Community Right-to-Know Act	t
CERCLA Reportable Qu		
Calculated RQ exceeds r	easonably attainable upper limit.	
•	azardous Substances Reportable Quantity	
	ntain any components with a section 304 EH	S RQ.
•	azardous SubstancesReportable Quantity ntain any components with a SARA 302 RQ.	
SARA 311/312 Hazards	: No SARA Hazards	
SARA 302	: No chemicals in this material are su requirements of SARA Title III, Sect	
	8 / 10	



#### **AQUACER 533** Version 2 Revision Date 05/01/2015 Print Date 05/19/2015 **SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. Clean Air Act This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). Massachusetts Right To Know Wax Pennsylvania Right To Know 7732-18-5 Water Wax Fatty Acid **New Jersey Right To Know** Water 7732-18-5 Wax Fatty Acid New Jersey Trade Secret : 800963-5947 **Registry Number for the** product (NJ TSRN) California Prop 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. CONEG Heavy Metal: We confirm that we use packaging and/or packaging components in which the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium do not exceed 100 parts per million by weight. The components of this product are reported in the following inventories: TSCA : We certify that all of the components of this product are either listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h). Section 4 / 12(b) : Not applicable DSL : We certify that all of the components of this product are listed on the DSL.



#### AQUACER 533

Version 2

Revision Date 05/01/2015

Print Date 05/19/2015

#### SECTION 16. OTHER INFORMATION

Revision Date

: 05/01/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.