

# NANOBYK-3840

Version 4 Revision Date 04/14/2015 Print Date 05/13/2015

#### **SECTION 1. IDENTIFICATION**

Product name : NANOBYK-3840

# Manufacturer or supplier's details

Company : BYK USA Inc.

524 South Cherry Street Wallingford CT 06492

Telephone : (203) 265-2086 Visit our web site : www.byk.com

E-mail address : ehs.byk.usa@altana.com

Emergency telephone : 203-265-2086; CHEMTREC 1-800-424-9300 / +1 703-527-

number 3887

#### Recommended use of the chemical and restrictions on use

Recommended use : Additive for paints and plastics

Restrictions on use : Refer to Section 15 for any restrictions that may apply

### **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Eye irritation : Category 2A

### **GHS Label element**

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention**:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

# Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**



# NANOBYK-3840

Version 4 Revision Date 04/14/2015 Print Date 05/13/2015

Chemical nature : Dispersion of zinc oxide nanoparticles

**Hazardous components** 

Component	CAS-No.	Concentration (%)
Zinc compounds	1314-13-2	>= 40 - < 41

### **SECTION 4. FIRST AID MEASURES**

If inhaled : Remove to fresh air. Administer artificial respiration if

necessary. Get medical aid as soon as possible.

In case of skin contact : Remove contaminated clothing. Wash thoroughly with soap

and water. Get medical aid as soon as possible.

In case of eye contact : Immediately flush with plenty of water for at least 20 minutes.

Get medical aid.

If swallowed : Do not induce vomiting; aspiration hazard. Dilute with 1-2

glasses of water. Get medical aid. If vomiting occurs

spontaneously, keep head below hips to prevent aspiration of

liquid into lungs.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

: No information available.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: No information available.

Specific hazards during

firefighting

: Will not explode on mechanical impact.

Water solution - will not support combustion.

Hazardous combustion

products

: Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides formaldehyde silicone compounds

Further information : Keep away from oxidizing agents.



# NANOBYK-3840

Version 4 Revision Date 04/14/2015 Print Date 05/13/2015

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Eliminate all sources of ignition. Ventilate area if indoors. Wear self-contained breathing apparatus and full protective

clothing.

: Prevent spilled material from entering the ground, water **Environmental precautions** 

and/or air by using appropriate containment methods.

Methods and materials for containment and cleaning up : Stop leak. Dike and contain spill.

Absorb with suitable material and remove with sparkless

shovel and/or scoop.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Harmful in contact with skin.

Avoid contact with skin and eyes.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Keep container closed when not in use. Handle as an industrial chemical.

Conditions for safe storage : Keep in a dry, cool and well-ventilated place.

Keep product and empty container away from heat and

sources of ignition.

Take measures to prevent the build up of electrostatic charge.

Materials to avoid : Keep away from strong acids.

> Keep away from strong bases. Keep away from oxidizing agents.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Zinc compounds	1314-13-2	TWA (Respirable fraction)	2 mg/m3	ACGIH
		STEL (Respirable fraction)	10 mg/m3	ACGIH



# NANOBYK-3840

Version 4	Revision Date 04/14	Revision Date 04/14/2015		
		(total 15 mg/m3	OSHA Z-1	
	dust) TWA (resp	irable	OSHA Z-1	
		(Dust) 5 mg/m3	NIOSH REL	
	TWA (Fum		NIOSH REL	
	ST (F	fumes) 10 mg/m3	NIOSH REL	
	C (Du	ust) 15 mg/m3	NIOSH REL	
	TWA (Fum	- 3	OSHA Z-1	
	TWA dust)	(Total 10 mg/m3	OSHA P0	
		5 mg/m3 irable fraction)	OSHA P0	
	TWA (Fum		OSHA P0	

**Engineering measures** : Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If product is misted or sprayed, a Class 1 particulate

respirator (APF10) is required (N, P, or R 100 filter)

10 mg/m3

OSHA P0

Hand protection

Material : Neoprene gloves

Eye protection : Goggles

Safety glasses with side-shields

STEL (Fumes)

Skin and body protection : Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Clean long legged, long sleeved work clothes.

If splashing is possible, wear chemically resistant protective

clothing.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : dispersion

Colour : white



# NANOBYK-3840

Version 4 Revision Date 04/14/2015 Print Date 05/13/2015

Odour : slight

Odour Threshold : No data available

pH : ca. 7, (68 °F (20 °C))

Melting point/range : 32 °F (0 °C)

(1,013 hPa)

Boiling point/boiling range : 212 °F (100 °C)

(1,013 hPa)

Flash point : Not applicable

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : ca. 23 hPa (68 °F (20 °C))

Method: estimated

Relative vapour density : No data available

Relative Density/Specific

Gravity

: No data available

Density : 1.59 g/cm3 (68 °F (20 °C))

Bulk density : No data available

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Surface tension : No data available



# NANOBYK-3840

Version 4 Revision Date 04/14/2015 Print Date 05/13/2015

Sublimation point : Not applicable

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable; polymerization will not occur

Possibility of hazardous

reactions

: No data available

Conditions to avoid : None known.

Incompatible materials : Acids and bases

Strong oxidizing agents

Hazardous decomposition

products

: None expected

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Ingestion Eyes

Skin Absorption Skin contact

### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: No data available

Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

**Components:** 

1314-13-2 Zinc compounds:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.79 mg/l

Skin corrosion/irritation

**Product:** 

Remarks: No data available

**Components:** 



# NANOBYK-3840

Version 4 Revision Date 04/14/2015 Print Date 05/13/2015

**1314-13-2 Zinc compounds:** 

Species: Rabbit

Result: Moderate skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks: No data available

**Components:** 

1314-13-2 Zinc compounds:

Species: Rabbit Result: Eye irritation

Respiratory or skin sensitisation

**Product:** 

Remarks: No data available

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Repeated dose toxicity

**Product:** 

Remarks: Prolonged skin contact with ingredients may cause dermatitis.

This product contains dispersed nano-particles. Since the toxicological effects of this nano-particle have not been explored, protect employees from all potential routes of exposure.

Experience with human exposure

**Product:** 

Inhalation:

Symptoms: High concentrations of heated vapors may



# NANOBYK-3840

Version 4 Revision Date 04/14/2015 Print Date 05/13/2015

irritate the respiratory tract and mucous

membranes.

Skin contact:

Symptoms: Contact may cause irritation.

Eye contact:

Symptoms: Contact may cause irritation.

Ingestion:

Symptoms: Ingestion may irritate the digestive tract.

### **Further information**

**Product:** 

Remarks: No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

**Product:** 

Toxicity to fish

Remarks: No data available

# Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

# Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data available

# Mobility in soil

No data available

# Other adverse effects

No data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances



NANOBYK-3840

Version 4 Revision Date 04/14/2015 Print Date 05/13/2015

Remarks This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological

information

: There is no data available for this product.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

EPA Hazardous Waste

Code(s)

: Not applicable.

Waste from residues : Dispose of in accordance with applicable local/municipal,

state/provincial and federal regulations.

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulation**

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Zinc oxide)

Class : 9 Packing group : III

Labels : Miscellaneous substances and articles

Packing instruction (cargo

aircraft)

Packing instruction

(passenger aircraft)

: 964

: 964

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Zinc oxide)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : no

Remarks : IMDG Code segregation group - none

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 



# NANOBYK-3840

Version 4 Revision Date 04/14/2015 Print Date 05/13/2015

**49 CFR** 

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Zinc oxide)

Class : 9 Packing group : III

Labels : Miscellaneous substances and articles

ERG Code : 171 Marine pollutant : no

Container sizes: 55 gallon drums, 5 or 6-gallon pails, 2oz/16oz samples

#### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

# **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous SubstancesReportable Quantity

This material does not contain any components with a SARA 302 RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This product contains the following toxic chemical(s) subject

to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and

40 CFR part 372.

Zinc compounds 1314-13-2 40 %

### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

### **Massachusetts Right To Know**



# NANOBYK-3840

Version 4 Revision Date 04/14/2015 Print Date 05/13/2015

Zinc compounds 1314-13-2

Pennsylvania Right To Know

 Water
 7732-18-5

 Zinc compounds
 1314-13-2

Polymer -

**New Jersey Right To Know** 

 Water
 7732-18-5

 Zinc compounds
 1314-13-2

Polymer -

: 800963-5328

New Jersey Trade Secret

Registry Number for the product (NJ TSRN)

California Prop 65 This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other

reproductive harm.

CONEG Heavy Metal: We confirm that we use packaging and/or packaging components in which the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium do not exceed 100 parts per million by weight.

### The components of this product are reported in the following inventories:

TSCA: We certify that all of the components of this product are either

listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h).

Section 4 / 12(b) : Not applicable

DSL : We certify that all of the components of this product are listed

on the DSL.

### **SECTION 16. OTHER INFORMATION**

Revision Date : 04/14/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.