

ANTI-TERRA-206

Controlled flocculating wetting and dispersing additive for solvent-borne and aqueous systems to prevent fillers and inorganic pigments from settling.

The additive is not available on the North American market.

Product Data

Composition

Solution of an alkyloammonium salt of an unsaturated fatty acid

Typical Properties

The values indicated in this data sheet describe typical properties and do not constitute specification limits.

Amine value:	39 mg KOH/g
Acid value:	39 mg KOH/g
Density (20 °C):	0.94 g/ml
Non-volatile matter (10 min., 150 °C):	29.5 %
Solvents:	Water/Isobutanol 4/3
Flash point:	33 °C

Food Contact Legal Status

For the current food contact legal status, please contact our product safety department or visit www.byk.com for further information.

Special Note

For optimum performance, the additive must be incorporated into the millbase before addition of pigments.

BYK-Chemie GmbH

P.O. Box 10 02 45
46462 Wesel
Germany
Tel +49 281 670-0
Fax +49 281 65735

info@byk.com
www.byk.com/additives

ANTI-TERRA®, BYK®, BYK®-DYNWET®, BYK®-SILCLEAN®, BYKANOL®, BYKETOL®, BYKJET®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, DISPERBYK®, DISPERPLAST®, LACTIMON®, NANOBYPK®, PAPERBYK®, SILBYK®, VISCOBYK® and Greenability® are registered trademarks of BYK-Chemie. AQUACER®, AQUAMAT®, AQUATIX®, CERACOL®, CERAFAK®, CERAFLOUR®, CERAMAT®, CERATIX®, HORDAMER® and MINERPOL® are registered trademarks of BYK-Cera.

SCONA® is a registered trademark of BYK Kometra.

This information is given to the best of our knowledge. Because of the multitude of formulations, production and application conditions, all the above-mentioned statements have to be adjusted to the circumstances of the processor. No liabilities, including those for patent rights, can be derived from this fact for individual cases.

This issue replaces all previous versions - Printed in Germany