

TEGO® Carbomer 340 FD

Fast dispersing viscosity adjuster and gelling agent

- Easily dispersed into water
- Benzene-free acrylic acid polymer
- Especially suitable for cosmetic gels

Personal Care

INCI name (CTFA name)

Carbomer

Chemical and physical properties	
Appearance	white powder

Application

- TEGO® Carbomer 340 FD is an acrylic acid polymer. N-Hexane is used as solvent in the polymerisation step.
- TEGO[®] Carbomer 340 FD is an excellent emulsion stabiliser, viscosity adjuster and viscosity builder.
- TEGO® Carbomer 340 FD is easily dispersed into water. Processing of TEGO® Carbomer 340 FD is much faster than processing of the corresponding product TEGO® Carbomer 140.
- TEGO[®] Carbomer 340 FD can be used over a wide pH range.
- TEGO[®] Carbomer 340 FD is especially suitable for the preparation of clear water or alcohol based gels.

Preparation

Add TEGO® Carbomer 340 FD early in the formulation to allow it time to thoroughly wet out and disperse. Use propeller stirrer.

Dissolver or rotor-stator-homogeniser may be used as well. Intensive shear may lead to a viscosity reduction of the final product and should be avoided.

Neutralise near the end of the process so that all of the ingredients can mix well before the viscosity is increased. For neutralisation use triethanolamine, tetrahydroxypropyl ethylendiamine, sodium hydroxide or other inorganic bases.

Recommended usage concentration

0.05 - 1.0 % TEGO® Carbomer 340 FD

Packaging

270 kg pallet (18 x 15 kg box)

Storage

TEGO® Carbomer products are hygroscopic. The material should be stored dry and in the dark. Open boxes should be used immediately.

Hazardous goods classification

Information concerning

- classification and labelling according to regulations for transport and for dangerous substances
- protective measures for storage and handling
- measures in case of accidents and fires
- toxicity and ecological effects

is given in our material safety data sheets.

Guide Line Formulations

Conditioning Hair Gel UM 118/5b		
Phase A		
TAGAT° L 2 (PEG-20 Glyceryl Laurate)	3.0 %	
Perfume	0.5 %	
ABIL® B 9950 (Dimethicone Propyl PG-Betaine)	0.5 %	
Phase B		
Water	92.3 %	
TEGO® Carbomer 340 FD	1.5 %	
Phase C		
Sodium Hydroxyde (25 % in water)	2.2 %	
Perfume, Preservative	q.s.	

Preparation:

Mix phases A and B separately in the given order until the solutions are homogeneous. Add B to A. The apparent turbidity dissapears on neutralisation with Sodium Hydroxide.

A Preservative is highly required.

Hair "Repair" Leave-In Conditioner WA 190/11		
Phase A		
TEGINACID® C (Ceteareth-25)	4.0 %	
ABIL® OSW 5 (Cyclopentasiloxane; Dimethiconol)	20.0 %	
ABIL® Soft AF 100 (Methoxy PEG/PPG-7/3 Aminopropyl Dimethicone)	1.0 %	
TEGO® Alkanol L 4 (Laureth-4)	0.5 %	
VARISOFT® BT 85 Pellets (Behentrimonium Chloride)	0.4 %	
Phase B		
Water	68.6 %	
Propylene Glycol	5.0 %	
TEGO® Carbomer 340 FD	0.5 %	
Phase Z	•	
Sodium Hydroxide (25 % in water)	ad pH 5-6	
Perfume, Preservative	q.s.	

Preparation:

Dissolve TEGO° Carbomer 340 ED in water. Heat phases A and B separately to approx. 80 °C (VARISOFT° BT 85 has to be melted). Combine both phases and prehomogenize. Neutralize with Sodium Hydroxide as requiered and homogenize. Cool down while stirring. Add further perfume below 45 °C.

D 02/09

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments.

The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used. (Status: April, 2008)

Evonik Industries AG Goldschmidtstraße 100 45127 Essen, Germany P.O. BOX 45116 Essen PHONE +49 201 173-2854 FAX +49 201 173-1828 personal-care@evonik.com www.evonik.com/personal-care

