SILICONE FLUIDS

Product Bulletin

TC-1214D

INCI Name

CYCLOPENTASILOXANE & DIMETHICONOL

Description

TC-1214D is a conditioner can provide a lubricous, clear skin feel like velvet. It has the effect of film, water resistant, repair damaged hair.

Specification

Parameter	Value
Appearance	Clear transparent viscous liquid
Odor	Characteristic
Viscosity(25℃,mPa⋅s)	5000-8000
Volatility (150 °C/3h,%)	≤86.0
Refractive index (n _D ²⁵)	1.380-1.420
Specific Gravity (g/cm 3 ,	0.930-0.960
25℃)	0.930-0.960

These values indicate typical specification, they are not intended to be used as product specifications.

Properties

- Impart unique, excellent, silky, non-oily skin feeling. Good adhesive ability to the skin.
- Provide luster and texture.
- Spreadable, adhesive, lubricous, tacky and pearlescent properties are all better than dimethyl siloxane oil.
- Improve wet & dry combability, suppleness and manageability.

Cautions:

TC-1214D includes 15% high viscosity dimethiconol, which is not compatible with other oils and common alcohols, synthetic glycerides and fatty alcohols, but



compatible with some organic ester such as Isobutyl Palmitate, Isobutyl stearate, and Isobutyl myristate. It is forbidden to heat TC-1214D together with other oils, to prevent high viscosity dimethicone from separating-out

Applications

- Skin lotion and cream
- Make-up products: foundation and so on
- Sunscreen product
- Hair conditioner

Formula Guidelines

Typically used at a level of 0.5~5.0%. Mix with other silicone firstly, without over heating. Mix oil phase (except silicone) and water phase normally, add silicone mixture at 60-70°C, and then homogenize.

Storage & Handling

Standard Packing: 186kg/drum

Storage: Keep in Cool, Dry, Ventilated and Lightless Place.

${\bf GUANGZHOUTINCIMATERIALSTECHNOLOGY\,CO,LTD.}$

Kangda Road No.8, Yunpu Industrial Zone,
Huangpu Region, Guangzhou
TEL: 86-20-82251159 FAX: 86-20-82250169
WEBSITE: www.tinci.com

DOC NO。: TC-MM-技术服务-***

Version: A/1 last version date: 2010-09-02