# SILICONE FLUIDS

#### **Product Bulletin**



## TC-1252

#### **INCI Name**

**DIMETHICONE** 

## **Description**

TC-1252 is a mixture of high viscosity dimethicone grease and low viscosity dimethicone oil. It is recommended to be used in 2 in 1 shampoo or hair conditioner, imparting excellent anti-static, film-forming and lubricative properties to hair, significantly improving dry&wet combability, providing hair a soft, glossy and silky feel. Non-accumulation exists after repeated use.

#### **Specification**

Parameter	Value
Appearance	Clear transparent viscous liquid
Volatility (150 °C/3h,%)	≤1.5
Viscosity(25℃,mPa.s)	400,000-850,000

These values indicate typical specification, they are not intended to be used as product specifications.

# **Properties**

- Improves dry & wet combability of hair
- Impart soft, silky feel and luster to hair
- Excellent anti-static and hair-breathing ability
- · Good stabilty and safety.

## **Applications**

- 2 in 1 shampoo
- Hair conditioner
- Body wash and skin cleanser

#### **Formula Guidelines**

Typically used at a level of 0.5~5.0%.

- How to handle in shampoo, bodywash formula-- Pre-emulsify TC-1252 to appropriate particle size, then add into system below  $45^{\circ}$ C.
- How to handle in conditioner formula Mix with other silicone, without high-heating.
  Mix oil phase (except silicone) and water phase normally, add silicone mixture at 60-70°C, then homogenize.

#### Storage & Handling

**Standard Packing:** 30 kg/drum or 120kg/drum **Storage:** Keep in Cool, Dry, Ventilated and Lightless Place.

#### GUANGZHOUTINCI MATERIALS TECHNOLOGY CO., LTD.

Kangda Road No.8, Yunpu Industrial Zone, Huangpu Region, Guangzhou TEL: 86-20-82251159 FAX: 86-20-82250169

> WEBSITE: www.tinci.com DOC NO。: TC-MM-技术服务-\*\*\*

> > Version: A/0

last version date: 2007-09-14